



Siento Lito 290 cm - 330 g/m²





Girofle
186

Souris
31

Taupe
95

Minéral
157

Cachou
159

Poivre
181



Sapin
126

Poireau
162

Lichen
156

Cuivre
50

Kaki
148

Lierre
124



Brousse
192

Cordage
172

Sahara
169

Lin
11

Hortensia
134

Lilas
19



Licence n° R018



TEST IMO
FTP code (2010)
Annex 1, Part 7
Anhang 1, Teil 7



Pare-solaire
Light filtering
Inbetween



Recyclé
Recycled yarns
Hergestellt mit
recyclierten Garnen



Propriétés techniques

Technical specifications / Technische Eigenschaften

Composition *Material*

90 % polyester FR recyclé / 10 % polyester FR

90 % recycled polyester FR / 10 % polyester FR

90 % polyester FR hergestellt mit recycelten Garnen / 10 % polyester FR

Laize *Width / Breite*

290 cm

Poids *Weight / Gewicht*

330 g/m²

Classements au feu

Fire classifications / Brandschutzklasse

M1 - NF P 92 503-504-505

B1 - DIN 4102 Part 1 / Teil 1

PASS IMO - FTP code (2010) Annex 1 part 7 clause 3 / Anhang 1, Teil 7, Satz 3

Applications *Suggested applications / Anwendungen*



Rideaux
Curtains / Vorhänge



Stores bateaux
Roman blinds / Faltröller



Parois Japonaises
Panel blinds / Flächenvorhänge



Tentures murales
Wall covering / Wandbekleidung

Conseils d'entretien *Washing instructions / Pflegeanweisungen*



Caractéristiques techniques *Characteristics / Eigenschaften*

Coloris clairs

Clear colors / Helle Farben

Coloris moyens et foncés

Dark colors / Dunkle Farben

Résistance Solidité lumière